



# ART VATIKA INSTITUTE

One Stop Solution to all Your Cosmetic Needs

|                      |                      |                  |               |
|----------------------|----------------------|------------------|---------------|
| <b>Material Name</b> | ULTRA WHITE SOAPBASE | <b>Batch No.</b> | 2022-11-03-02 |
| <b>GENERAL NAME</b>  | SOAP FLAKES          | <b>Mfg Date</b>  | 03-11-2022    |
| <b>Sampled</b>       | APPROVED             | <b>Exp Date</b>  | 05-11-2025    |
| <b>Manufacturer</b>  | ART VARTIKA          |                  |               |

| S. No.          | Test Parameter                 | Specification                        |      | Result        |
|-----------------|--------------------------------|--------------------------------------|------|---------------|
|                 |                                | LSL                                  | USL  |               |
| 1               | APEARANCE                      | LIGHT YELLOW TRANSPARENT SOAP FLAKES |      | COMPLIES      |
| 2               | FORM                           | SOLIDS                               |      | SOLIDS        |
| 3               | ODOUR                          | CHARACTERSTIC                        |      | CHARACTERSTIC |
| 4               | COLOUR                         | FAINT YELLOW TO CLEAR                |      | COMPLIES      |
| 5               | <a href="#">Ph@5 % Aqs</a>     | 9:00                                 | 10.4 | 10.1          |
| 6               | free alkalinity as NaOH        | --                                   | 4    | NIL           |
| 7               | total fatty matter             | 30                                   | ---- | 25            |
| 8               | Synthetic Surface Active agent | --                                   | 4    | 4             |
| Chemical Name : | Ultra White Soap Base          |                                      |      |               |
| CAS Number :    |                                |                                      |      |               |

Approved By

Opinion: The sample Complies with prescribed standard of quality with respect to above tests.

